Municipality/Organization: Manchester-by-the-Sea, MA

EPA NPDES Permit Number: MAR041207

MassDEP Transmittal Number: W-036274

Annual Report Number Year 7
& Reporting Period: Year 7
April 1, 2009 – March 31, 2010

NPDES PII Small MS4 General Permit Annual Report

(Due: May 1, 2010)

Part I. General Information

| Contact Person: Steven T. Kenney | Title: Director of Public Works | | |
|---|---------------------------------|--|--|
| Telephone #: 978-526-1242 | Email: Kenneys@manchester.ma.us | | |
| Mailing Address: Town Hall, 10 Central Street, Mand | chester-by-the-Sea, MA 01944 | | |

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

| Signature: | Miller |
|-----------------|--------------------------|
| Printed Name: | Steven T. Kenney |
| Tillicu Nailic. | Steven 1. Kenney |
| Title: | Director of Public Works |
| Date: | 3/30/11 |

Part II. Self-Assessment

From April 1, 2009 – March 31, 2010 the Town of Manchester-by-the-Sea continued to make progress implementing BMPs and meeting requirements of EPA's 2003 General Permit for Storm Water Discharges from Small Municipal Separate Storm Sewer Systems (MS4s). Town Staff from the DPW, Conservation Commission, Building Department, Board of Health, and Planning Board conducted stormwater management activities.

The DPW and Board of Health continue to keep information on stormwater available at the Town Hall. Good housekeeping measures, including catch basin cleaning, street sweeping, and drainage infrastructure maintenance and cleaning, continue to be administered through the DPW.

BMPs selected continue to be appropriate for the Town.

Notes on Permit Year 7 Annual Report:

- In the Permit Year 5 Annual Report, the Town assigned new BMP ID#s, to better link the BMP to the MCM (i.e., BMP 1 became BMP 1.1, BMP 2 became BMP 1.2, and BMP 3 became BMP 2.2, etc). All BMPs identified in the Notice of Intent continue to be implemented.
- In the Permit Year 6 Annual Report, the Town added a BMP (#6.1) to include a stormwater system and catch basin inspection program.
- This year, Town added BMPs #1.3, 1.4 and 6.5.

Part III. Summary of Minimum Control Measures

1. Public Education and Outreach

| BMP | BMP Description | Responsible | Measurable Goal(s) | Progress on Goal(s) - | Planned Activities – |
|-------------|----------------------|-----------------|-----------------------|---------------------------------------|--------------------------------------|
| ID # | | Dept./Person | | Permit Year 7 | Permit Year 8 |
| | | Name | | (Reliance on non-municipal partners | |
| | | | | indicated, if any) | |
| | Water Conservation | DPW | Number of brochures | Mailed approximately 2,000 water | Continue mailings as needed and as |
| 1.1 | Practice Brochures | | mailed | conservation brochures with water | budget allows. |
| | | | | bills. Each water customer receives a | |
| | | | | bill. | |
| Revised | | | Revised Year 1: | | |
| | | | Brochure distribution | | |
| | | | (goal of over 1,700) | | |
| | Hold Hazardous Waste | Board of Health | Conduct annual event | Annual household hazardous waste day | Continue annual event as budget |
| 1.2 | Collection | | | was held by Board of Health on a | allows. |
| Revised | | | | weekend in April 2009. | |
| | | | | | Continue to provide recycling |
| | | | | Town continued to provide recycling | information on website as necessary. |
| | | | | information on Town Website | |

| 1.3 | Stormwater Brochures | DPW/ | Make stormwater- | Three stormwater brochures are | As budget allows, continue to make |
|-----|----------------------|---------------|------------------------|--------------------------------------|------------------------------------|
| | at Town Hall | Conservation/ | related brochures | available in Town Hall: "The | brochures available in Town Hall. |
| | | Stream Team | available at Town Hall | Importance of Streamside Buffers", | |
| | | | | "Make the Stormwater Connection" | |
| | | | | and "Pet Waste and Bathing Beaches - | |
| | | | | Guidelines for Pet Owners" | |

| 1.4 | Animal Control Bylaw | Police/ Board of | Enforce Animal | Town Bylaw prohibits disposal of dog | Continue to promote and enforce |
|-----|----------------------|------------------|----------------|---------------------------------------|---------------------------------|
| | (Town's General | Health | Control Bylaw | waste on beaches, sidewalks, streets, | bylaw as needed and as budget |
| | Bylaws Article X | | | parks, in town storm drains and on | allows. |
| | Section 28) | | | public beaches. The Police continued | |
| | | | | to enforce the Animal Control Bylaw, | |
| | | | | including patrolling beaches, parks, | |
| | | | | recreational areas and cemeteries and | |
| | | | | monitoring the 'dog waste stations.' | |
| | | | | | |
| | | | | The Board of Health also promotes | |
| | | | | compliance with this bylaw, and | |
| | | | | educates people about the bylaw. | |
| | | | | | |

2. Public Involvement and Participation

| BMP ID# | BMP Description | Responsible Dept./Person Name | Measurable Goal(s) | Progress on Goal(s) – Permit Year 7 (Reliance on non-municipal partners indicated, if any) | Planned Activities – (Permit Year 8) |
|-------------|-----------------|-------------------------------------|--------------------|---|--|
| 2.1 Revised | Stream Cleaning | DPW/ Conservation Commission | Annual Project | The Town has undertaken numerous stream cleaning projects over the permit term: • A portion of Milletts Brook was cleaned in August 2003. • A portion of Sawmill Brook (from Mill Street south to Essex Country Club) was cleaned in December 2005. • Millets Brook (from Millets Lane to Rote 128) was cleaned in January 2007. • Since 2007, DPW and Conservation Commission worked together on a stream cleaning project in the Saw Mill Brook. • This year, budget prohibited cleaning activities. | Continue annual stream cleanings as budget allows. |

| | Stakeholder Meetings | Manchester Coastal | Number of meetings | The Manchester Coastal Stream Team | Continue meetings, as possible. |
|---------|----------------------|--------------------|----------------------|--|---------------------------------|
| 2.2 | | Stream Team/ | | met once a month for most of the year | |
| | | Conservation | | to discuss environmental issues that | |
| | | Commission | | affect water bodies in Manchester-by- | |
| | | | | the-Sea and to plan corrective | |
| Revised | | | Revised in Permit | measures to address identified issues. | |
| | | | Year 1: | All projects include public | |
| | | | Conservation | participation and involvement. | |
| | | | Commission Meetings | | |
| | | | (Goal – 16 times per | The Conservation Commission met | |
| | | | year) | twice a month (second and fourth | |
| | | | | Tuesday). Additional meetings were | |
| | | | Stream Team | scheduled as needed. Abutters and | |
| | | | Meetings (Goal – 9 | general public were invited to | |
| | | | times per year) | consider drainage and stormwater | |
| | | | | manage issues as related to the | |
| | | | | Wetlands Protection Act and related | |
| | | | | state and local laws. | |
| | | | | | |
| | | | | All public involvement activities | |
| | | | | complied with state public | |
| | | | | notice requirements at MGL Chapter | |
| | | | | 39 Section 23B and local public notice | |
| | | | | requirements. | |
| | | | | | |

3. Illicit Discharge Detection and Elimination

| BMP ID# | BMP Description | Responsible Dept./Person | Measurable Goal(s) | Progress on Goal(s) – Permit Year 7 | Planned Activities – (Permit Year 8) |
|------------|----------------------------------|---|--|---|---|
| | | Name | | (Reliance on non-municipal partners indicated, if any) | |
| 3.1 | Map of Storm Drains | Public works | Complete by June 30, 2006 | GIS map of storm sewer system (outfalls, catch basins, and other | BMP complete; measurable goal met. Update map as needed. |
| Revised | | | | drainage structures) is complete. Connectivity, where know, is included on map. | |
| 3.2 | Illicit Discharge Policy/Regs | DPW/ Conservation Commission/ Planning Board/ Building Inspector | Complete by June 30, 2007 | DPW reviewed a copy of the Attorney General's model bylaw. Town reviewed bylaws of similar nearby communities. | Draft bylaw and put Bylaw on Warrant for Town Meeting |
| Revised | | | Revised in Permit Year 4: Complete implementation by May 31, 2008 | | |

4. Construction Site Stormwater Runoff Control

| BMP | BMP Description | Responsible | Measurable Goal(s) | Progress on Goal(s) - | Planned Activities – |
|---------|------------------------|-----------------|----------------------|--|----------------------------------|
| ID# | _ | Dept./Person | | Permit Year 7 | (Permit Year 8) |
| | | Name | | (Reliance on non-municipal partners | |
| | | | | indicated, if any) | |
| 4.1 | Develop and Implement | DPW/ | Complete by June 30, | "Stormwater Management Special | BMP complete and measurable goal |
| | Construction Runoff | Conservation | 2007 | Permit" added to Town Zoning By-law | achieved. |
| | Policy/Regulations | Commission/ | | in April 4, 2007. Planning Board has | |
| | regulating erosion and | Planning Board/ | | adopted Regulations. | Continue to implement bylaw and |
| | sediment control | Building | | | regulations |
| | | Inspector | | This bylaw requires sediment and | |
| Revised | | | | erosion control at construction sites, | |
| | | | | and includes sanctions to ensure | |
| | | | | compliance. | |
| | | | | | |
| | | | | Planning Board continues to implement | |
| | | | | Bylaw and regulations. | |

5. Post-Construction Stormwater Management in New Development and Redevelopment

| BMP | BMP Description | Responsible | Measurable Goal(s) | Progress on Goal(s) - | Planned Activities – |
|---------|-----------------------|-----------------|----------------------|---|----------------------------------|
| ID # | | Dept./Person | | Permit Year 7 | (Permit Year 8) |
| | | Name | | (Reliance on non-municipal partners | |
| | | | | indicated, if any) | |
| | Develop and implement | DPW/ | Complete by June 30, | "Stormwater Management Special | BMP complete and measurable goal |
| 5.1 | Post Construction | Conservation | 2007 | Permit" added to Town Zoning By-law | achieved. |
| | Policy | Commission/ | | in April 4, 2007. Planning Board | |
| | | Planning Board/ | Implement bylaws | adopted regulations. | Continue to implement bylaw and |
| | | Building | | | regulations. |
| | | Inspector | | This bylaw addresses storm water | |
| Revised | | | | runoff from new development and | |
| | | | | redevelopment projects that disturb one | |
| | | | | or more acres | |
| | | | | | |
| | | | | Planning Board continues to implement | |
| | | | | Bylaw and regulations. | |

6. Pollution Prevention and Good Housekeeping in Municipal Operations

| BMP Description | Responsible Dept./Person Name | Measurable Goal(s) | Progress on Goal(s) – Permit Year 7 (Reliance on non-municipal partners indicated, if any) | Planned Activities – (Permit Year 8) |
|--|--|--|---|--|
| Stormwater System and Catch Basin Inspection Program | DPW | Annual Inspections | DPW inspected catch basins and cleaned as necessary | Continue annual inspections and asneeded cleanings. |
| Septic system controls | Board of Health | Number of new systems or repairs | Based on inspections, failing systems were upgraded as needed. The Town has a tracking system for pump outs. | Continue to monitor septic systems as needed. |
| Sweep all streets by June 1 | DPW | Completed on time | The DPW swept streets by June 1, 2010. | Continue to sweep streets once per year, as budget allows. |
| | | Revised Year 1: Complete by June 1 | | |
| May through September, Minimum of biweekly sweeping of main streets | DPW | Number of sweepings complete | The DPW swept main streets regularly throughout the summer season (May through September). | Continue to sweep main streets as needed and as budget allows. |
| | | Revised Year 1: Goal: Minimum of 10 bi- weekly sweepings Revised Year 5: | | |
| | Stormwater System and Catch Basin Inspection Program Septic system controls Sweep all streets by June 1 May through September, Minimum of biweekly sweeping | Stormwater System and Catch Basin Inspection Program Septic system controls Sweep all streets by June 1 May through September, Minimum of biweekly sweeping | Stormwater System and Catch Basin Inspection Program Septic system controls Septic system controls DPW Annual Inspections Number of new systems or repairs Sweep all streets by June 1 Revised Year 1: Complete by June 1 May through September, Minimum of biweekly sweeping of main streets Revised Year 1: Goal: Minimum of 10 biweekly sweepings | Stormwater System and Catch Basin Inspection Program Septic system controls Sweep all streets by June 1 May through September, Minimum of biweekly sweeping of main streets Permit Year 7 (Reliance on non-municipal partners indicated, if any) DPW inspected catch basins and cleaned as necessary Based on inspections, failing systems were upgraded as needed. The Town has a tracking system for pump outs. Revised Year 1: Complete by June 1 Revised Year 1: Complete Sevised Year 1: Complete Se |

| 6.5 | Employee Training | Conservation | Train staff annually | Town continues to incorporate | Continue annual stormwater |
|-----|-------------------|--------------|----------------------|--|----------------------------|
| | | Commission/ | | stormwater training into annual | trainings. |
| | | Fire | | trainings of Conservation Commission, | |
| | | Department/ | | the Fire Department, and the DPW. | |
| | | DPW | | Training includes understanding how to | |
| | | | | recognize illicit discharges. | |
| | | | | | |
| | | | | | |

7. BMPs for Meeting Total Maximum Daily Load (TMDL) Waste Load Allocations (WLA)

Not applicable. None of Manchester-by-the-Sea's receiving waters have approved TMDL reports at this time. A Draft Pathogen TMDL for the North Coastal Watershed has been developed, but is not yet final.

Part IV. Summary of Information Collected and Analyzed

- Salem Sound Coastwatch's Clean Beaches and Streams sampling results are available at their website. http://www.salemsound.org/CB&S.html
- Town's Board of Health maintains records of weekly sampling results and beach closings for the Town's eight beaches. The
 Massachusetts Department of Public Health also presents sampling results on their website:
 http://mass.digitalhealthdepartment.com/public_21/index.cfm